



City of Rockville  Department of Community Planning and Development Services  111 Maryland Avenue, Rockville, Maryland 20850  Phone: 240-314-8200 • Fax: 240-314-8210 • E-mail: cpds@rockvillemd.gov • Website: www.rockvillemd.gov				
	Please Print Clearly o			
Property Address information 107 Fleet Stre	et, Rockville, MD 20	<u>)850</u>		
Property Size (Sq. Ft.) 5,009 SF	Lot(s) <u>6</u>			
Zoning MXT Tax Accou	nt(s) <u>03690765</u>		,	
Proposed Subdivision Victory Court	Lot 6A, 6B		Block_A	
Applicant Information:	o mail address for each			
Please supply name, address, phone number and				
Applicant Habitat for Humanity Metro Maronald.spoor@habitatmm.org;	aryland, Attn: Ronal 8380 Colesville Ro	<u>d Spoor</u> ad, Suite 700 Silver	Spring, MD 20910	
Property Owner Montgomery County EOB 101 Monroe Street,	Rockville, MD 2085	<del>i0</del>		
Architect Hauren Cannon; Email: icanno			a, MD 20814	
IMEG: Address: 4601 Forbes Engineer_Sylke Knuppel: Email: sylke.s.l	Blvd., Suite 140, Lar knuppel@imegcorp.	nham, MD 20706 .com; Phone: 240-2	96-1574	
Attorney Lerch, Early & Brewer; 7600 W Vince Blase; Email: vgbiase@l	/isconsin Avenue, S erchearly.com; Pho	Guite 700, Bethesda one: 301-657-0168	, MD 20814	
STAFF USE ONLY Application Acceptance:		plication Intake:		
Application # PLT2025-00626		te Received July 23, 20		
Date Accepted Staff Contact		viewed by <u>Fee: \$205.0</u> te of Checklist Review		
Juli Contact	****	emed Complete: Yes		

Project Identification 107 Fleet Street
Application is hereby made with the City of Rockville Planning Commission for appeal of a Subdivision Plan for the property described on page 1.
A letter of authorization from the owner must be submitted if this application is filed by anyone other than the owner.  I hereby certify that I have the authority to make this application, that the application is complete and correct and that I have read and understand all procedures for filing this application.  Solventially 12024  Please sign and date
Comments on Submittal: (For Staff Use Only)

<ul> <li>□ 1. Surveyor's Certificate         <ul> <li>a. Show all recordation of conveyance with dates.</li> <li>b. Establish pipes and monuments.</li> <li>c. Give area of street dedication in square feet and acreage.</li> <li>d. Plan is certified correct and is sealed by a Maryland registered surveyor.</li> </ul> </li> <li>2. Owner's Dedication         <ul> <li>a. Owner adopts plan of subdivision.</li> <li>b. Dedicate all streets to public use and/or to public use and private maintenance.</li> <li>c. Grant land as shown on the subdivision plan to proper HOA entity, Mayor and Council, etc.</li> <li>d. Establish minimum building restriction lines.</li> <li>e. All necessary easements to be established by plat including PUE's, (with PUE recordation information), grading and slope easements, sidewalk/blike path/pedestrian easements, utility easements, ingress/egress easements, etc.</li> </ul> </li> <li>Note: SWM easements to be shown on subdivision plan and locations verified with maintenance agreement location sketch.</li> <li>Forest Conservation easements are also established by a separate document but location should be shown on plat.</li> <li>a. Stawments and Rights of Way</li> <li>a. Show all existing easements.</li> <li>b. Abandon all unnecessary easements, rights of way by separate document, and reference on plat.</li> <li>c. Locations of new utilities or other public improvements outside of rights-of-way match locations of new easements being established or shown as future/recorded on plat.</li> <li>d. Establish 10 peus along all public roadways.</li> <li>d. Datum and Morth Arrow</li></ul>	materi	ed hereto and made a part of this application, I submit the necessary plans, specifications and other data or explanatory al as required by the Subdivision Regulation (Chapter 25, Article XV). All applications must include the original mylar and six nts, showing the following:
a. Owner adopts plan of subdivision. b. Dedicate all streets to public use and/or to public use and private maintenance. c. Grant land as shown on the subdivision plan to proper HOA entity, Mayor and Council, etc. d. Establish minimum building restriction lines. e. All necessary easements to be established by plat including PUE's, (with PUE recordation information), grading and slope easements, sidewalk/bike path/pedestrian easements, utility easements, ingress/egress easements, etc.  Note: SWM easements to be shown on subdivision plan and locations verified with maintenance agreement location sketch.  Forest Conservation easements are also established by a separate document but location should be shown on plat.  3. Easements and Rights of Way a. Show all existing easements. b. Abandon all unnecessary easements, rights of way by separate document, and reference on plat. c. Locations of new utilities or other public improvements outside of rights-of-way match locations of new easements being established or shown as future/recorded on plat. d. Establish 10 peus along all public roadways.  4. Datum to be NAD 83/91 for new subdivisions, WSSC, original plat datum or other approved datum. b. North Arrow is shown on plat with datum and scale (maximum scale is 1" = 100"). c. Show three (3) property corner coordinate values per plat. d. Minimum of two (2) monuments per block.  5. Adjacent Parcels a. Show all adjacent plat/deed and owner information.  6. General Plat Information a. Show all proposed or previously dedicated street names, and right-of-way widths. Give recordation information if applicable. b. Show all turve and line data. c. Show all parcel letters, blocks, and lot areas. d. Show all parcel letters, blocks, and parcel areas. e. All information shown on title block is correct and consistent with any predetermined subdivision name. f. Certification block for Planning Commission and City Manager.  7. Plat of Corrections a. For correction plats, all previous information to be corrected should be clearly identi		<ul><li>a. Show all recordation of conveyance with dates.</li><li>b. Establish pipes and monuments.</li><li>c. Give area of street dedication in square feet and acreage.</li></ul>
Forest Conservation easements are also established by a separate document but location should be shown on plat.  3. Easements and Rights of Way a. Show all existing easements. b. Abandon all unnecessary easements, rights of way by separate document, and reference on plat. c. Locations of new utilities or other public improvements outside of rights-of-way match locations of new easements being established or shown as future/recorded on plat. d. Establish 10 peus along all public roadways.  4. Datum and North Arrow a. Datum to be NAD 83/91 for new subdivisions, WSSC, original plat datum or other approved datum. b. North Arrow is shown on plat with datum and scale (maximum scale is 1" = 100"). c. Show three (3) property corner coordinate values per plat. d. Minimum of two (2) monuments per block.  5. Adjacent Parcels a. Show all adjacent plat/deed and owner information.  6. General Plat Information a. Show all proposed or previously dedicated street names, and right-of-way widths. Give recordation information if applicable. b. Show all curve and line data. c. Show all curve and line data. c. Show all parcel letters, blocks, and parcel areas. e. All information shown on title block is correct and consistent with any predetermined subdivision name. f. Certification block for Planning Commission and City Manager.  7. Plat of Corrections a. For correction plats, all previous information to be corrected should be clearly identified as such (with the use of dashe lines, stippled numbers, etc.), and all new information to be established uses heavier line weights or other methods to clarify its intent.		<ul> <li>a. Owner adopts plan of subdivision.</li> <li>b. Dedicate all streets to public use and/or to public use and private maintenance.</li> <li>c. Grant land as shown on the subdivision plan to proper HOA entity, Mayor and Council, etc.</li> <li>d. Establish minimum building restriction lines.</li> <li>e. All necessary easements to be established by plat including PUE's, (with PUE recordation information), grading and</li> </ul>
<ul> <li>a. Show all existing easements.</li> <li>b. Abandon all unnecessary easements, rights of way by separate document, and reference on plat.</li> <li>c. Locations of new utilities or other public improvements outside of rights-of-way match locations of new easements being established or shown as future/recorded on plat.</li> <li>d. Establish 10 peus along all public roadways.</li> <li>4. Datum and North Arrow <ul> <li>a. Datum to be NAD 83/91 for new subdivisions, WSSC, original plat datum or other approved datum.</li> <li>b. North Arrow is shown on plat with datum and scale (maximum scale is 1" = 100").</li> <li>c. Show three (3) property corner coordinate values per plat.</li> <li>d. Minimum of two (2) monuments per block.</li> </ul> </li> <li>5. Adjacent Parcels <ul> <li>a. Show all adjacent plat/deed and owner information.</li> </ul> </li> <li>6. General Plat Information <ul> <li>a. Show all proposed or previously dedicated street names, and right-of-way widths. Give recordation information if applicable.</li> <li>b. Show all curve and line data.</li> <li>c. Show all lot numbers, blocks, and lot areas.</li> <li>d. Show all parcel letters, blocks, and parcel areas.</li> <li>e. All information shown on title block is correct and consistent with any predetermined subdivision name.</li> <li>f. Certification block for Planning Commission and City Manager.</li> </ul> </li> <li>7. Plat of Corrections <ul> <li>a. For correction plats, all previous information to be corrected should be clearly identified as such (with the use of dashe lines, stippled numbers, etc.), and all new information to be established uses heavier line weights or other methods to clarify its intent.</li> </ul> </li> </ul>		
<ul> <li>a. Datum to be NAD 83/91 for new subdivisions, WSSC, original plat datum or other approved datum.</li> <li>b. North Arrow is shown on plat with datum and scale (maximum scale is 1" = 100").</li> <li>c. Show three (3) property corner coordinate values per plat.</li> <li>d. Minimum of two (2) monuments per block.</li> <li>5. Adjacent Parcels</li> <li>a. Show all adjacent plat/deed and owner information.</li> <li>6. General Plat Information</li> <li>a. Show all proposed or previously dedicated street names, and right-of-way widths. Give recordation information if applicable.</li> <li>b. Show all curve and line data.</li> <li>c. Show all lot numbers, blocks, and lot areas.</li> <li>d. Show all parcel letters, blocks, and parcel areas.</li> <li>e. All information shown on title block is correct and consistent with any predetermined subdivision name.</li> <li>f. Certification block for Planning Commission and City Manager.</li> <li>7. Plat of Corrections</li> <li>a. For correction plats, all previous information to be corrected should be clearly identified as such (with the use of dashe lines, stippled numbers, etc.), and all new information to be established uses heavier line weights or other methods to clarify its intent.</li> </ul>		<ul> <li>a. Show all existing easements.</li> <li>b. Abandon all unnecessary easements, rights of way by separate document, and reference on plat.</li> <li>c. Locations of new utilities or other public improvements outside of rights-of-way match locations of new easements being established or shown as future/recorded on plat.</li> </ul>
<ul> <li>a. Show all adjacent plat/deed and owner information.</li> <li>6. General Plat Information</li> <li>a. Show all proposed or previously dedicated street names, and right-of-way widths. Give recordation information if applicable.</li> <li>b. Show all curve and line data.</li> <li>c. Show all lot numbers, blocks, and lot areas.</li> <li>d. Show all parcel letters, blocks, and parcel areas.</li> <li>e. All information shown on title block is correct and consistent with any predetermined subdivision name.</li> <li>f. Certification block for Planning Commission and City Manager.</li> <li>7. Plat of Corrections</li> <li>a. For correction plats, all previous information to be corrected should be clearly identified as such (with the use of dasher lines, stippled numbers, etc.), and all new information to be established uses heavier line weights or other methods to clarify its intent.</li> </ul>		<ul> <li>a. Datum to be NAD 83/91 for new subdivisions, WSSC, original plat datum or other approved datum.</li> <li>b. North Arrow is shown on plat with datum and scale (maximum scale is 1" = 100").</li> <li>c. Show three (3) property corner coordinate values per plat.</li> </ul>
<ul> <li>a. Show all proposed or previously dedicated street names, and right-of-way widths. Give recordation information if applicable.</li> <li>b. Show all curve and line data.</li> <li>c. Show all lot numbers, blocks, and lot areas.</li> <li>d. Show all parcel letters, blocks, and parcel areas.</li> <li>e. All information shown on title block is correct and consistent with any predetermined subdivision name.</li> <li>f. Certification block for Planning Commission and City Manager.</li> <li>7. Plat of Corrections</li> <li>a. For correction plats, all previous information to be corrected should be clearly identified as such (with the use of dasher lines, stippled numbers, etc.), and all new information to be established uses heavier line weights or other methods to clarify its intent.</li> </ul>		•
a. For correction plats, all previous information to be corrected should be clearly identified as such (with the use of dashe lines, stippled numbers, etc.), and all new information to be established uses heavier line weights or other methods to clarify its intent.		<ul> <li>a. Show all proposed or previously dedicated street names, and right-of-way widths. Give recordation information if applicable.</li> <li>b. Show all curve and line data.</li> <li>c. Show all lot numbers, blocks, and lot areas.</li> <li>d. Show all parcel letters, blocks, and parcel areas.</li> <li>e. All information shown on title block is correct and consistent with any predetermined subdivision name.</li> </ul>
		a. For correction plats, all previous information to be corrected should be clearly identified as such (with the use of dashed lines, stippled numbers, etc.), and all new information to be established uses heavier line weights or other methods to clarify its intent.



## **Affidavit of Final Plat Action**

City of Rockville Community Planning and Development Services

Section 25.21.11 (Final record plat approval procedures - Generally) of the City of Rockville Zoning Ordinance requires action by the Planning Commission on a final plat application within thirty (30) days from the time the City accepts the application.

By providing this Affidavit, I hereby request that the requirement for Planning Commission action on the final plat within thirty (30) days from application acceptance be extended to within sixty (60) days from application acceptance to allow thorough review of the application, coordinate staff comments, and allow time to prepare approval documents.

Application Number:

Plat Name: Victory Court; 6A, 6B, Block A

APPLICANT: Habitat for Humanity Metro Maryland
Jethersee
Owner/Applicant Name (attorney for Applicant)
() 10
Subscribed and sworn to me before a Notary Public in and for the State of Maryland,
County of Montgomery, on this 3rd day of June, 2024.
Merbion
Notary Public
My Commission Expires: $\frac{ Q /(o 2027)}{}$
VERONICA WILSON Notary Public - State of Maryland Montgomery County My Commission Expires Dec 16, 2027